UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/826,207	04/16/2004	Jerry H.C. Lee	25341A	1155
22889 OWENS CORN	7590 02/13/200 NING	9	EXAMINER	
2790 COLUME	BUS ROAD		MATZEK, MATTHEW D	
GRANVILLE, OH 43023			ART UNIT	PAPER NUMBER
			1794	
			MAIL DATE	DELIVERY MODE
			02/13/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/826,207	LEE ET AL.
Office Action Summary	Examiner	Art Unit
	MATTHEW D. MATZEK	1794
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY OF THE MONTHS FROM THE MAILING IDENTIFY OF THE MONTHS FROM THE MAILING IDENTIFY OF THE MONTH OF THE M	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be tid will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>08.</u> 2a) This action is FINAL . 2b) The 3) Since this application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pr	
Disposition of Claims		
4)	thdrawn from consideration. is/are rejected.	
Application Papers		
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) acceptable and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examiration.	ccepted or b) objected to by the e drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Bures * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	ate

Art Unit: 1794

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 1/8/2009 has been entered.

Response to Amendment

2. Claims 1-3, 5-15, 17-19, 21-23 and 25-31 remain pending with claims 26 and 27 withdrawn from consideration. Claims 1-3, 5-15, 17-19, 21-23, 25 and 28-31 remain active. Claim 9 has been amended to now recite a coating material consisting essentially of asphalt, filler and elemental sulfur. This amendment overcomes the previous 112 2nd rejection, which covered claims 9-15, 17-19, 21, 23, 25 and 28-31. The aforementioned rejection is hereby withdrawn. The previous prior art rejection of claims 9-15, 17-19, 21, 23, 25 and 28-31 is withdrawn as the combination fails to provide for a coating material consisting essentially of asphalt, filler and elemental sulfur.

Art Unit: 1794

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

- 3. Claims 1, 3, 5-8 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller et al. (US 6,228,785) in view of Marzocchi et al. (US 4,265,563).
 - a. Miller et al. teach an asphalt-based roofing material comprising a substrate coated with asphalt (Abstract). The roofing material comprises a glass fiber substrate coated with asphalt and a surface layer of granules embedded in the asphalt coating (col. 1, lines 13-20). The fibers of Miller et al. meet the limitation of fibers having properties suitable for forming a roofing mat in a roof covering. Miller et al. is silent as to use of a silane-sizing agent for the glass fibers in the asphalt.
 - b. Marzocchi et al. teach that glass fibers may be used as reinforcement in resins, rubbers, and asphalt (organic material) for use in roads, driveways, bridges, walks and roofs (col. 2, lines 10-20). The glass fibers may be treated with a silane coupling (sizing) composition along with sulfur leaving secondary or primary as well as elemental sulfur dispersed on the surface of the glass fibers (col. 9, lines 35-43). When added to a matrix (asphalt, tar, etc.) the glass fibers become directly bonded to the matrix phase to improve strength and impermeability of the properties of the matrix (col. 9, lines 43-50). The sulfur content of the silane coating may be from 0.05 to 40% with a preference from 0.1 to 7% (col. 9, lines 54-59). Overlying the substrate layer 1 (fiberglass) is a wear course 2 comprising an aggregate and asphalt mixture (col. 4, lines 3-5). The asphalt aggregate may comprise clays, gravel, glass flake or calcium carbonate (col. 4, lines 53-69). In one

Application/Control Number: 10/826,207

Art Unit: 1794

embodiment an asphaltic, glass flake layer is added on top of the substrate (fiber/asphalt) layer (col. 5, lines 55-63).

Page 4

- c. Since Miller et al. and Marzocchi et al. are from the same field of endeavor (i.e. asphalt covered fiber glass building materials), the purpose disclosed by Marzocchi et al. would have been recognized in the pertinent art of Miller et al.
- d. It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the glass fiber mat of the composite of Miller et al. with the silane sizing agent with the motivation of improving the adhesion between the fiber glass and asphalt phases.
- e. Neither Miller et al. nor Marzocchi et al. explicitly teach the claimed feature of forming cross-links between the sulfur groups and the organic material, the claimed tear strength or the claimed tensile strength, it is reasonable to presume that said properties are inherent to the combined product of Miller et al. and Marzocchi et al. Support for said presumption is found in the use of like materials (i.e. glass fibers sized with a sulfurous silane composition and coated with an organic material). The burden is upon Applicant to prove otherwise. *In re Fitzgerald* 205 USPQ 594. In addition, the presently claimed properties of claims 1, 6 and 22 would obviously have been present one the combination of Miler et al. and Marzocchi et al. product is provided. Reliance upon inherency is not improper even though rejection is based on Section 103 instead of Section 102. *In re Skoner*, et al. (CCPA) 186 USPQ 80.

Art Unit: 1794

4. Claims 1-3, 5-8 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller et al. (US 6,228,785) in view of Williams et al. (US 4,210,459).

- a. Miller et al. teach an asphalt-based roofing material comprising a substrate coated with asphalt (Abstract). The roofing material comprises a glass fiber substrate coated with asphalt and a surface layer of granules embedded in the asphalt coating (col. 1, lines 13-20). The fibers of Miller et al. meet the limitation of fibers having properties suitable for forming a roofing mat in a roof covering. Miller et al. is silent as to use of a sulfide silane-sizing agent for the glass fibers in the asphalt.
- b. Williams et al. teach the use of a polysulfide silane-coupling (sizing) agent for glass fibers in rubber composites (Abstract). The coupling agent may also comprise vinyl groups, yielding a vinyl silane (col. 4, lines 13-40). It is generally preferred to size the fibers prior to their incorporation into the composite (col. 14, lines 48-60). The polysulfide organosilicon-coupling agent may also be added to the rubber matrix and the sulfur concentration may be from about 0.5 to 4 weight percent of said matrix (col. 13, lines 47-52 and col. 14, lines 24-28).
- c. Since Miller et al. and Williams et al. and from the same field of endeavor, (i.e. fiber glass in organic matrices), the purpose disclosed by Williams et al. would have been recognized in the pertinent art of Miller et al.
- d. It would have been obvious at the time the invention was made to a person having ordinary skill in the art to use the sulfide silane coupling agent of Williams et al. on the glass fibers of Miller et al. as well as in the matrix motivated by the desire to simplify the

Application/Control Number: 10/826,207

Art Unit: 1794

coating of the glass fibers to one chemical treatment and to improve the strength of the resin phase with the addition of the polysulfide silane.

Page 6

- e. Neither Miller et al. nor Williams et al. explicitly teach the claimed feature of forming cross-links between the between the sulfur groups and the organic material, double-bonds, the claimed tear strength or the claimed tensile strength, it is reasonable to presume that said properties are inherent to the combined product of Miller et al. and Williams et al. Support for said presumption is found in the use of like materials (i.e. glass fibers sized with a sulfurous silane composition and coated with an organic material). The burden is upon Applicant to prove otherwise. *In re Fitzgerald* 205 USPQ 594. Reliance upon inherency is not improper even though rejection is based on Section 103 instead of Section 102. *In re Skoner*, et al. (CCPA) 186 USPQ 80. Williams et al. and Applicant both use a sulfide silane to size fibers and as such the size of Williams et al. would also graft to the fibers in the same manner as Applicant.
- 5. Claims 9-15, 17-19, 21, 23, 25 and 28-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller et al. (US 6,228,785) in view of Williams et al. (US 4,210,459) as applied to claims 1 and 6 above, and further in view of Kennepohl et al. (US 4,079,158). The disclosures of Miller et al. and Williams et al. fail to teach the use of elemental sulfur in the asphalt matrix.
 - a. Kennepohl et al. disclose an asphalt coating (col. 2, lines 52-68) for building materials to form roofing shingles (abstract). The coating comprises asphalt, mineral filler and sulfur. The added sulfur extends the available asphalt while at the same time offering an improvement to the burning and fire resistance of the coated product (col. 2,

Art Unit: 1794

lines 42-49). The coating composition comprises elemental sulfur at levels as low as 10 weight percent (abstract) based upon the combination of sulfur and asphalt, alone. The coating composition may further include up to 50 weight percent filler (Example 3). The inclusion of 50 weight percent filler would reduce the sulfur levels to as low as five weight percent of the coating composition.

- b. The relative amount of sulfur in the asphalt coating composition is a result-effective variable affecting the extendibility and the burning and fire resistance of the coated product. Consequently, absent a clear and convincing showing of unexpected results demonstrating the criticality of the claimed weight percentage, it would have been obvious to one of ordinary skill in the art to optimize this result-effective variable by routine experimentation. *In re Antonie*, 559 F.2d 618, 195 USPQ 6 (CCPA 1977).
- c. Since Miller et al. and Kennepohl et al. are from the same field of endeavor (i.e. roofing shingles), the purpose disclosed by Kennepohl et al. would have been recognized in the pertinent art of Miller et al.
- d. It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the invention of Miller et al. with the elemental sulfur of Kennepohl et al. with the motivation of burning and fire resistance of the coated product as disclosed by Kennepohl et al. (col. 2, lines 42-49).
- e. Claim 19 is rejected as the solids percentage does not materially impact the bonding material or the roof shingles in their final form.

Art Unit: 1794

Response to Arguments

6. Applicant's arguments filed 11/13/2008, pertaining to the combination of Miller et al. and Marzocchi et al. and Miller et al. and Williams et al. have been fully considered but they are not persuasive.

- 7. Applicant argues that it is improper to combine the teachings of Miller et al. and Mazocchi et al. because they relate to distinctly different fields. As set forth in the prior art section of Marzocchi et al. it is well known that glass fibers have been used extensively in the reinforcement of resins, rubbers and asphalts (col. 2, lines 12-15) in the creation of both roof coverings and road foundations (col. 3, lines 3-41). Therefore, one of ordinary skill in the art would have been motivated to look to Marzocchi et al. to improve the adhesion between the glass fiber and asphalt matrix phases as they are used in both of the inventions of Miller et al. and Marzocchi et al. and are from the same field of endeavor, asphalt construction materials. Mr. Jones' expert opinion has been taken into account, however both Miller et al. and Marzocchi et al. both use asphalt matrices with glass fiber reinforcement and both Miller et al. and Williams et al. set forth glass fibers in organic matrices. By improving the bond between the matrix and reinforcement phase of the composite the structural integrity of the article is improved. Therefore, it would have been reasonable for one of ordinary skill in the art to look to other asphalt or organic composites that use glass fibers for reinforcement for means to improve adhesion between the two phases of the composite.
- 8. Applicant argues that the teachings of Marzocchi et al. relate to glass flakes in a road paving composition not to fibers having properties suitable for forming a roofing mat in a roof covering as recited in claim 1. Examiner has relied upon Miller et al. to provide the newly

Application/Control Number: 10/826,207

Art Unit: 1794

claimed fibers having properties suitable for forming a roofing mat in a roof covering. Examiner has relied upon Marzocchi et al. to teach the use of a silane-sizing agent to improve adhesion between glass and asphalt.

Page 9

- 9. Applicant argues that if the teachings of Miller et al. and Marzocchi et al. are combined the resulting product would not be a roofing material having significantly improved tear strength as claimed. Applicant has failed to demonstrate how the combination of Miller et al. and Marzocchi et al. results in a structurally different product than that which is currently claimed and as such failed to adequately establish why the resulting product would not be a roofing material having significantly improved tear strength as claimed. The addition of the sizing material to the Miller et al. invention would result in improved adhesion between the glass fibers and the rest of the roofing material, thereby improving the overall tear strength.
- 10. Applicant argues that it is improper to combine the teachings of Miller et al. and Williams et al. because they relate to distinctly different fields. Both Miller et al. and Williams et al. are directed to fiberglass in organic matrices and Examiner has looked to Williams et al. to use a sulfide silane sizing agent to improve the strength between the matrix and fiber phases.

Art Unit: 1794

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MATTHEW D. MATZEK whose telephone number is (571)272-2423. The examiner can normally be reached on M-F, 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Larry Tarazano can be reached on 571.272.1515. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Matthew D Matzek/ Examiner, Art Unit 1794